AirTex separation layer TL5 DSK black

Article number: 8031770000

MAGE
Damit Macher machen können.

Product overview

AirTex TL5 DSK separation layer is a diffusion-open separation layer with double self-adhesive strips for metal roofing.

- Protection against moisture accumulation and corrosion
- Permanent air layer on the metal underside
- High diffusion openness of the underlay membrane
- Reduction of rain noise
- Open structure safely channels moisture away



Technical specifications

Specifications	
Technical	
Colour	Black
Material	PP
Adhesive tape included	☑
Grammature	500 g/m²
Number of layers	3
Performance	
Temperature resistance (min.)	-40 °C
Temperature resistance (max.)	80 °C
Reaction to fire: Euro class	E
Nail tear strength diagonal	190 N
Nail tear strength length	160 N
Reinforcement	☒
SD value	0.02 M
Stretch length	45 %
Stretch after aging length	35 %
Stretch width	80 %
Stretch after aging width	65 %
Tensile strength diagonal	215 N
Tensile strength length	310 N
Tensile strength diagonal after aging	190 N
Tensile strength length after aging	280 N

© 2026 Ubbink. All rights reserved.| Content is subject to change without notice. Availability and configurations may differ per country. | UB-22-09-2026-INT-EN

MAGE Roof & Building Components GmbH
An den Steinenden 7 • 04916 Herzberg (Elster) • Tel.: +49 3535 4007-0 • Fax: +49 3535 4007-32
info@mage-roof.com • www.mage-roof.com

AirTex separation layer TL5 DSK black

Article number: 8031770000

MAGE
Damit Macher machen können.

Technical specifications (continuation)

Performance	
UV resistance	☒
UV resistance period	3 Months
Water tightness class	W1
Dimensions	
Length gross	25 m
Length gross	25,000 mm
Width	1.5 m
Width	1,500 mm
Height	500 mm
Thickness	9 mm
Net weight	18.75 kg
M2 per roll	37.5

© 2026 Ubbink. All rights reserved.| Content is subject to change without notice. Availability and configurations may differ per country. | UB-22-09-2026-INT-EN

MAGE Roof & Building Components GmbH
An den Steinenden 7 • 04916 Herzberg (Elster) • Tel.: +49 3535 4007-0 • Fax: +49 3535 4007-32
info@mage-roof.com • www.mage-roof.com